



OXFORD BIOMEDICAL RESEARCH
P.O. Box 522, Oxford MI 48371 • USA
USA: 800-692-4633 • Fax: 248-852-4466
www.oxfordbiomed.com

Material Safety Data Sheet

Product Name: Detection Assay for Total Rat tPA

Product Number: PA 95

Manufacturer:

Oxford Biomedical Research
2165 Avon Industrial Dr.
Rochester Hills, MI 48309
(248) 852-8815

Components:

<u>Description</u>	<u>Quantity</u>
tPA Capture Antibody Coated Plate	1 each
HRP Secondary Antibody	~5-20 µL
Anti-Mouse tPA Primary Antibody	Lyophilized / Dry
Biotinylated PAI-1	Lyophilized / Dry
Rat tPA Activity Standard	~0.5 - 3.0 mL
TMB Substrate***	10 mL
10x Wash Buffer	50 mL

*** MSDS information for the TMB substrate is provided as a supplemental component to this document. Please refer to the colorimetric substrate msds or contact Oxford Biomedical Research with the above contact information for a copy.

The components listed above are provided and produced by Oxford Biomedical Research as components of an *in vitro* diagnostic test kit for the sole purpose of research use and to be used in accordance with the kit instruction.

Hazards

The physical, chemical and toxicological properties of these components have not been fully investigated. Standard laboratory and safety procedures should be used when handling this product or components therein. This includes, but is not limited to, wearing OSHA approved safety glasses, gloves and protective clothing. Avoid direct physical contact with the components of this product.

First Aid Measures

Ingestion: If swallowed wash out the mouth with water provided that the person is conscious. Call a physician and/or poison control.

Skin Contact: Remove affected clothing, shoes, etc. Flush affected areas with copious amounts of water followed by washing with soap and water for a minimum of 15 minutes. Contact a physician.

Inhalation: Remove from the contaminated air space. If breathing becomes difficult, administer oxygen. If breathing stops then administer artificial respiration. Contact a physician.

Eye Contact: Flush eyes with copious amounts of water for a minimum of 15 minutes while separating eyelids. Remove contact lenses if present. Contact a physician.

Fire Fighting Measures

The components and materials provided in this kit pose no significant risk in the event of fire. Extinguishing media should be used that is most appropriate to the surrounding areas. It is recommended that firefighters wear protective gear and self-contained breathing apparatus to minimize exposure.

Accidental Release Measures

Shut off all ignition sources and ventilate the area. Wear appropriate protective gear. Wipe or pick-up materials, place in a sealed container, and dispose of in accordance with Federal, State and Local Government regulations. Wash the spill site thoroughly with soap and water.

Handling and Storage

Store kit as recommended on the product label or each individual component. All components and its contents should be stored in closed containers. This product should be handled by qualified trained professionals.

Stability and Reactivity

This product and its components are stable until the indicated expiration date if stored in accordance with the indicated storage conditions and handling procedures. These components are not known to react with other substances in an adverse manner.

Toxicological Information

Not available.

Ecological Information

Not available.

The information provided in this document is believed to be correct, but does not purport to be all-inclusive. This document is to serve only as a guide. Oxford Biomedical Research shall not be held liable for damages resulting from handling or contact with the above product(s). The contents of this document are not reflective of nor a substitute for state, municipal or insurance requirements and constitute no warranty of any kind.